



FINAL EXAMINATION

Programme Name	:	DIPLOMA IN BUSINESS STUDIES
		DIPLOMA OF ACCOUNTANCY
Course Code & Name	:	DBMT3033 QUANTITATIVE METHODS
Duration	:	3 HOURS

INSTRUCTIONS TO CANDIDATES:

1. Please read the instructions given in the question paper **CAREFULLY**.
2. The question paper consists of **FOUR (4)** questions.
3. Answer **ALL** questions in the question paper.
4. Answers to the questions are to be written into the examination booklet.
5. Electronic dictionaries, lecture notes, files or any unauthorised materials except writing equipment are strictly prohibited.

This question paper must be submitted along with all used and/or unused rough papers and/ or graph papers (if any). Candidates are **NOT ALLOWED** to take any examination paper(s) used or unused out of the examination hall.

WARNING:

The Examination Board of Peninsula College Georgetown regards cheating as a very serious offence and will not hesitate to mete out the appropriate punitive actions according to the severity of the offence committed, and in the accordance with the clauses stipulated in the Students' Handbook, up to and including expulsion from Peninsula College Georgetown.

(This booklet contains 7 printed pages including this page)
DO NOT OPEN THIS BOOKLET UNTIL YOU ARE ALLOWED TO DO SO

Answer **ALL** questions on the separate sheet provided.

[100 marks]

1. a) Given that there are a family of three normal distributions A, B and C. The three distributions have mean of 2, 5 and 7, and standard deviation of 1, 3, 5 accordingly. Draw the three distributions as a family with their means and standard deviations. (9 marks)

- b) An anemometer is used to measure speeds of wind on day time. The speeds are normally distributed with a mean of 200 km/hr and a standard deviation of 20 km/hr. What is the probability that the wind picked at random time is having speed

i) at more than 250km/hr? (4 marks)

ii) at more than 180km/hr? (3 marks)

iii) at less than 150km/hr? (3 marks)

iv) at between 160km/hr and 240km/hr? (6 marks)

Total: [25 marks]

2. Genders and scoring marks for students in a Mathematics class are shown in the table as below.

Gender	Marks									
Male	63	52	62	88	69	41	75	67	53	78
Female	43	87	57	67	42	73	36	54	74	50

- a) Compute a table to rank the marks of each gender. (10 marks)

- b) Calculate the Spearman's Rank correlation. (15 marks)

Total: [25 marks]

3. a) List two characteristics of chi-square distribution. (4 marks)

- b) A supermarket manager wants to know if the sales of ice-creams are equal during the weekdays. Suppose a random sample of sales persons were asked on which day of the weekdays they had the highest number of ice-creams sold. The results were distributed as table below.

	Monday	Tuesday	Wednesday	Thursday	Friday
No. of sales	46	32	35	22	54

- i) Do the days for the highest number of ice-cream sold occur with equal frequencies during a five-day sales? Test at a 5% significance level. (16 marks)

- ii) If 1% significance level is used, will the result remain the same? (5 marks)
Total: [25 marks]

4. Table below shows the five-point data set.

x	2.5	1	4	3	10
y	4	3	2.5	6	5

- a) Calculate the mean value for X and Y. (4 marks)

- b) By using the values in a), compute the standard deviation for X and Y. (12 marks)

- c) Find the value for Pearson's coefficient of correlation, r. (6 marks)

- d) Find the linear regression line. (3 marks)
Total: [25 marks]

- END OF QUESTIONS -

FORMULAE LIST

Uniform Distribution

Mean of Uniform Distribution, $\mu = \frac{a+b}{2}$

Standard deviation of Uniform Distribution, $\sigma = \sqrt{\frac{(b-a)^2}{12}}$

z-value, $z = \frac{x-\mu}{\sigma}$

Correlation and Regression

Correlation of coefficient:

$$r = 1 - \frac{6 \sum d^2}{n^3 - n}$$

$$r = \frac{n(\sum xy) - (\sum x)(\sum y)}{\sqrt{[n(\sum x^2) - (\sum x)^2][n(\sum y^2) - (\sum y)^2]}} = \frac{\sum (X - \bar{X})(Y - \bar{Y})}{(n-1)S_x S_y}$$

$$b = r \frac{S_y}{S_x}$$

$$a = \bar{Y} - b\bar{X}$$


$$\hat{Y} = a + bX$$

Chi-Square Distribution

$$\chi^2 = \sum \frac{(O-E)^2}{E}$$

$$\chi^2 = \sum \frac{(f_o - f_e)^2}{f_e}; f_e = \frac{(\text{row total})(\text{column total})}{\text{Grand total}}$$

Standard Normal Cumulative Distribution Table



Entries in the table give the area under the curve to the left of the z value. For example, for $z = 1.25$, the cumulative probability is .8944.

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990

T- Distribution Table

	P						
one-tail	0.1	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	0.2	0.1	0.05	0.02	0.01	0.002	0.001
DF							
1	3.078	6.314	12.706	31.821	63.656	318.289	636.578
2	1.886	2.92	4.303	6.965	9.925	22.328	31.6
3	1.638	2.353	3.182	4.541	5.841	10.214	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.61
5	1.476	2.015	2.571	3.365	4.032	5.894	6.869
6	1.44	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.86	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.25	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.93	4.318
13	1.35	1.771	2.16	2.65	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.14
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.12	2.583	2.921	3.686	4.015
17	1.333	1.74	2.11	2.567	2.898	3.646	3.965
18	1.33	1.734	2.101	2.552	2.878	3.61	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.85
21	1.323	1.721	2.08	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.5	2.807	3.485	3.768
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.06	2.485	2.787	3.45	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.689
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.66
30	1.31	1.697	2.042	2.457	2.75	3.385	3.646
60	1.296	1.671	2	2.39	2.66	3.232	3.46
120	1.289	1.658	1.98	2.358	2.617	3.16	3.373
1000	1.282	1.646	1.962	2.33	2.581	3.098	3.3
Inf	1.282	1.645	1.96	2.326	2.576	3.091	3.291

Chi-Square Distribution Table

Degrees of Freedom	Chi-Square (χ^2) Distribution									
	Area to the Right of Critical Value									
	0.995	0.99	0.975	0.95	0.90	0.10	0.05	0.025	0.01	0.005
1	—	—	0.001	0.004	0.016	2.706	3.841	5.024	6.635	7.879
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.838
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.071	12.833	15.086	16.750
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.299
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.559
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.194	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.121	14.257	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.336
30	13.787	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.952
70	43.275	45.442	48.758	51.739	55.329	85.527	90.531	95.023	100.425	104.215
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112.329	116.321
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.299
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.169